

## **Role of USG in Patients with Acute Abdomen**

<sup>1</sup>Dr. Prem Chand, M.D., Department of Radiodiagnosis, Bushahr Diagnostic and Imaging Centre.

<sup>2</sup>Dr. Suchita Palmo, MBBS CMO, Govt. MGMSC, Khaneri, Rampur

<sup>3</sup>Dr. Nihal Chand, M.D., General Medicine, Department of Medicine Govt. MGMSC, Khaneri, Rampur

<sup>4</sup>Dr. Sanjay Kumar, M.S., Department of General Surgery, Govt. MGMSC, Khaneri, Rampur

<sup>5</sup>Dr. Sathyan G, Professor, Govt. Stanley Medical College, Chennai.

<sup>6</sup>Dr. Subhasini B, Professor, Govt. Stanley Medical College, Chennai.

**Corresponding Author:** Dr. Prem Chand, M.D., Department of Radiodiagnosis, Bushahr Diagnostic and Imaging Centre.

**Citation this Article:** Dr. Prem Chand, Dr. Suchita Palmo, Dr. Nihal Chand, Dr. Sanjay Kumar, Dr. Sathyan G, Dr. Subhasini B, “Role of USG in Patients with Acute Abdomen”, IJMSIR- January - 2022, Vol – 7, Issue - 1, P. No. 92 – 94.

**Type of Publication:** Original Research Article

**Conflicts of Interest:** Nil

### **Abstract**

**Background:** Acute abdomen is the common cause of emergency admissions. USG plays an important role in the diagnosis of disease.

**Material and methods:** This study was done on patient presented with acute abdomen. Scout X-ray done in 250 patients. Scout X –Ray film gives lots of information and very helpful in diagnosing perforation and intestinal obstruction.

**Results:** X-Ray was 100% diagnostic in cases of perforation peritonitis. Intestinal obstruction was diagnosed in 95.55% cases.

**Conclusion:** This study shows that simple X-Ray plays an important role in definite diagnosis of acute abdomen.

**Keywords:** Acute Abdomen, Ultrasound, X- Ray

### **Introduction**

The term acute abdomen defines a clinical syndrome characterized by abdominal pain of sudden onset developed over a period several hours requiring surgical or medical treatment<sup>1</sup>. Acute abdomen comprises 5-10 %

of people presenting as a general surgical emergency<sup>2</sup>. An early and accurate diagnosis is essential for prompt and appropriate management in order to limit morbidity and mortality. Moreover identification of surgical problems is utmost importance, as most patients of acute abdomen do not require surgery. A thorough history followed by meticulous clinical examination are no doubt cornerstone of efficient patient management. However diagnosis based on clinical evaluation alone has been accurate in only 65% of cases<sup>3</sup>. and is often associated with delay in diagnosis and treatment and unnecessary laparotomies are done due to considerable overlap of symptoms and signs of various disease entities causing acute abdomen<sup>4</sup>.

The purpose of laboratory tests and radiological examination is to confirm and/ or exclude diagnostic possibilities that are being considered based on a proper history and physical examination. The main goal of imaging in acute abdomen is to narrow down the differential diagnosis and for prompt treatment.

**Material and methods**

All the patients with acute abdomen were included in the study. All the patient with acute abdomen come in Department of Radiodiagnosis with acute abdomen formed part of study. Patients with abdominal trauma, obstructed hernia and malignancy were excluded from the study. Patients were subjected to routine haematological, urine examination and biochemical estimations.

**Results**

Table1: Role of USG In Acute Abdomen

Sn.	Disease group	No.of x-ray	USG positive	Percentage
1	Perforation Peritonitis	50	48	96
2	Intestinal obstruction	45	32	71.11
3	Appendicitis	25	0	0
4	Appendicular lump	25	13	52
5	APD	40	0	0
6	Colitis	20	0	0
7	Pancreatitis	5	3	60
8	Renal stone	20	19	95
9	Twisted ovarian cyst	6	6	100
10	Abscess	10	9	90
11	Total	246	130	52.84

USG was able to diagnose 96% cases of perforation peritonitis. Intestinal obstruction was diagnosed only in 71.11% of cases with USG.

**Discussion**

The acute abdomen remains a challenge to surgeons and other Physicians. Abdominal pain is most common cause for hospital admissions in most parts of the world. An

early diagnosis of the underlying cause is of great value for prompt selection of appropriate management, surgical or conservative, thereby reducing the morbidity and mortality on one hand and unnecessary laparotomy on other.

Studies are available that have compare the role of USG and abdominal X-RAY in acute abdomen <sup>5,6</sup>. Walsh et al<sup>6</sup>, while evaluating the role of immediate USG in acute abdomen showed that USG was more informative than plain X-Ray in 40% of their cases. Simeone et al shown that while plain films scored over USG in 5% cases only. Overall plain film of abdomen was abnormal in 130 patients out of 246 USG carried out in 250 patients of acute abdomen.

**Conclusion**

Acute abdomen is the most common presentation in emergency surgical cases. Definite diagnosis is very important. For correct diagnosis USG plays an important role.

**References**

1. Das S: Examination of an acute abdomen. A manual of clinical surgery Ch 2000; 33:335-356
2. White M J and Counselman F.L.: Troubleshooting acute abdominal pain- Part 1 and 2. Emergency Medicine: Jan 2002.
3. Staniland JR, Ditchburn J et al: Clinical presentation of acute abdomen: s tudy of 600 patients. BMJ 1972;3:393- 398.
4. Schewerk WB, Wichtrup B, Rothmund M, Ruschoff J: Ultrasonography in diagnosis of acute appendicitis: a prospective study. Gastroenterology 1989; 97:60-639.
5. Simeone JF et al: Comparison of plain film and sonography in valuation of acute abdomen. AJR 1985;144:49- 52.

6. Walsh PF, Crawford D, Crossling F T, Sutherland GR, Negrette JJ, Shand J: The value of immediate ultrasound in acute abdominal conditions. A critical appraisal. Clin. Radiol 1990;42:47-49.